




ANALYZING FRICTION in the DESIGN of RUBBER PRODUCTS and Their PAIRED SURFACES

Robert Horigan Smith



CRC Press
Taylor & Francis Group

Contents

Preface	xxiii
About the Author.....	xxv
1 Introduction	1
1.1 Historical Background	1
1.2 Purposes of the Book.....	1
1.3 The Unified Theory of Rubber Friction	2
1.4 Surface Deformation Hysteresis in Rubber.....	2
1.5 Differences between Metallic and Rubber Friction Mechanisms.....	3
1.6 Consequences Stemming from Use of the Traditional Metallic-Friction Approach to Rubber Friction Analysis.....	3
1.7 Approach to the Subject.....	4
1.8 Organization of the Book.....	4
1.9 Chapter Review.....	5
References.....	6
2 Metallic Coefficient of Friction.....	7
2.1 Introduction	7
2.2 Smooth-Metal Friction.....	7
2.2.1 Friction Mechanism between Smooth-Metal Surfaces	7
2.2.2 Real Area of Surface-to-Surface Contact in Metallic Friction	8
2.2.3 Friction Force between Smooth-Metal Surfaces Independent of Apparent Contact Area.....	8
2.2.4 Constant Coefficient of Metallic Friction Equation	9
2.3 Adhesion Theory of Smooth-Metal Friction	9
2.3.1 Initial Friction Force Posits.....	9
2.3.2 Smooth-Metal Friction Theory	10
2.4 Origin of the Friction Force between Smooth Metals.....	10
2.4.1 Surface Energy and the Energy of Adhesion	10
2.4.2 Evidence Supporting the Adhesion Theory of Metallic Friction.....	11
2.4.3 Metallic Coefficient of Adhesion.....	11
2.5 Rough-Metal Friction.....	12
2.6 Laws of Metallic Friction	12
2.7 Chapter Review	12
References.....	13
3 Rubber Friction Mechanisms.....	15
3.1 Introduction.....	15

3.2	Rubber Friction Coefficient Decreases with Increasing Load	15
3.3	Adhesion as a Rubber Friction Mechanism	18
3.4	Linking Rubber Friction to the Real Area of Contact	19
3.5	Hertz Equation	22
3.6	Bulk Deformation Hysteresis in Rubber	25
3.7	Concurrently Acting Rubber Friction Mechanisms	26
3.8	van der Waals' Adhesion and Surface Deformation Hysteresis in Rubber	28
3.9	Adhesion, Bulk Deformation Hysteresis, and Wear in Sliding Rubber	28
3.10	Expressions for Bulk Deformation Hysteresis in Rubber	31
3.11	Modified Hertz Equation	32
3.12	Schallamach Waves	34
3.13	Elastomeric Friction	36
3.14	Microhysteretic Contributions to Wet-Rubber Friction	37
3.15	Chapter Review	38
3.15.1	Rubber Coefficient of Friction Decreases with Increasing Load	38
3.15.2	Adhesion as a Rubber Friction Mechanism	39
3.15.3	Linking Rubber Friction to the Real Area of Contact	40
3.15.4	Bulk Deformation Hysteresis in Rubber	40
3.15.5	Concurrently Acting Rubber Friction Mechanisms	41
3.15.6	Adhesion and Surface Deformation in Rubber	42
3.15.7	Schallamach Waves	42
3.15.8	Adhesion, Bulk Deformation Hysteresis, and Wear in Sliding Rubber	43
	References	43
4	Metallic Coefficient-of-Friction Equation Does Not Apply to Rubber	45
4.1	Introduction	45
4.2	Coefficient of Rubber Friction on Dry, Smooth Surfaces	45
4.2.1	Walking-Surface Slip-Resistance Testing with a Pendulum Device	45
4.2.2	Industrial Rubber Belting	47
4.2.3	Rubber Friction on Steel and Aluminum Surfaces	49
4.2.4	Aircraft Tire Friction on Different Portland Cement Concrete Finishes: Smooth Surface	51
4.2.4.1	Ambient-Temperature Testing	53
4.2.4.2	High-Temperature Testing	54
4.2.5	Rubber Adhesion on Smooth Solids Increases with Surface Free Energy	56
4.2.6	ANOVA Slip-Resistance Testing of Dry, Elastomeric Shoe Heels	62
4.2.7	Friction of Natural and Synthetic Tire-Tread Rubber on Ice	63

4.3	Coefficient of Rubber Friction on Dry, Textured Surfaces	65
4.3.1	Aircraft Tire Friction on Different Portland Cement Concrete Finishes: Textured Surfaces	65
4.3.1.1	Ambient-Temperature Testing	66
4.3.1.2	High-Temperature Testing	66
4.3.2	Bias-Ply and Radial-Belted Aircraft Tire Friction on an Ungrooved, Portland Cement Concrete Runway	67
4.3.3	Rubber Friction on Gritted Floor Tile	73
4.4	Coefficient of Rubber Friction on Wet, Smooth Surfaces	74
4.4.1	Rubber Friction on Oil-Coated Surfaces	74
4.4.1.1	Testing with Smooth Rubber Specimens	75
4.4.1.2	Testing with Roughened Rubber Specimens	76
4.4.2	Walking-Surface Slip-Resistance Testing of Wet Work Boots	80
4.4.3	Walking-Surface Slip-Resistance Testing of Wet Safety Shoes	80
4.4.4	ANOVA Slip-Resistance Testing of Wet, Elastomeric Shoe Heels	81
4.5	Coefficient of Rubber Friction on Wet, Textured Surfaces	84
4.5.1	Smooth-Rubber Friction Testing on Roughened, Oil- Coated Surfaces	84
4.5.2	Tire Friction Testing with a Skid-Test Trailer in Wet Conditions	86
4.5.3	Bias-Ply and Radial-Belted Aircraft Tire Friction on a Wet, Ungrooved, Portland Cement Concrete Runway	89
4.5.4	Lubricated-Rubber Friction Testing with Smooth Spheres	91
4.5.4.1	Slow-Speed Testing with Lubricated Smooth Spheres	91
4.5.4.2	High-Speed Testing with Lubricated Smooth Spheres	94
4.5.5	Lubricated-Rubber Friction Testing with Smooth Cones	94
4.6	Constant (Metallic) Coefficient-of-Friction Equation Not Applicable to Rubber	96
4.6.1	Review of the Analyzed Data	96
4.6.2	Deformational and Constitutive Differences between Rigid Metals and Visco-Elastic Rubber	98
4.7	Chapter Review	99
	References	99
5	A Unified Theory of Rubber Friction	101
5.1	Introduction	101
5.2	Rubber Microhysteresis Development on Macroscopically Smooth Surfaces	101
5.2.1	Roth, Driscoll, and Holt	101

5.2.2	Thirion	106
5.2.3	Schallamach	110
5.2.4	Bartenev and Lavrentjev	117
5.2.5	Sigler, Geib, and Boone	121
5.2.6	Mori et al.	123
5.3	Rubber Microhysteresis Development on Macroscopically Rough Surfaces	128
5.3.1	Sigler, Geib, and Boone	128
5.3.2	Chang	129
5.4	Characteristics of the Rubber Microhysteresis Mechanism	133
5.4.1	Rubber Microhysteresis Mechanism	133
5.4.2	Independence of the Rubber Microhysteresis Force	134
5.4.3	Dependence of the Rubber Microhysteretic Force	136
5.4.4	Relevance of the Intercept-Indicated Friction Force — Hurry and Prock	137
5.5	No-Load Adhesion Hypothesis	137
5.5.1	Use of the No-Load Adhesion Hypothesis in Rubber Friction Analysis	137
5.5.2	Residence Time Considerations	139
5.5.3	No-Load Adhesion in Sliding Rubber	139
5.6	Rubber Surface Deformation Hysteresis Testing	140
5.6.1	Kummer: Dry Testing	140
5.6.2	Kummer: Wet Testing	141
5.6.3	Yandell: Dry Testing	142
5.6.4	Yandell: Wet Testing	149
5.7	A Unified Theory of Rubber Friction	150
5.8	Chapter Review	151
	References	153
6	The Rubber Adhesion Transition Phenomenon	155
6.1	Introduction	155
6.2	Further Aspects of the Rubber Adhesive Friction Mechanism	155
6.2.1	Arnold, Roberts, and Taylor	155
6.2.1.1	Testing Protocols	156
6.2.1.2	Arnold et al.'s Interpretations of Their Test Data	157
6.2.1.3	Additional Interpretations of the Arnold et al. Data	159
6.2.1.4	Rubber Microhysteresis and Schallamach Waves	159
6.3	Adhesive Friction of Metal and Non-Elastomeric Plastics in the Elastic Loading Range	160
6.4	Determinants Controlling the Value of P_{Nt}	161
6.4.1	Thirion's Adhesion Data	161
6.4.2	Schallamach's Adhesion Data	162

6.5	Controlling Adhesion Transition Pressure to Optimize Friction Development	162
6.6	"Low" μ_A Values in the Low-Loading Range	164
6.7	Chapter Review	165
	References	166
7	Microhysteretic Friction in Dry Rubber Products	167
7.1	Introduction	167
7.2	Microhysteresis in Automotive Tire Rubber in Dry Conditions	168
7.3	Microhysteresis in Dry Aircraft Tires	170
7.3.1	B-29 Tire Rubber on Dry Concrete	170
7.3.1.1	Testing on Smooth Concrete	170
7.3.1.2	High-Pressure Testing on Textured Concrete	175
7.3.1.3	Additional Hamble Test Results	178
7.3.2	Commercial Aircraft Tires on Dry, Textured Concrete	178
7.4	Rubber Microhysteresis in Dry Footwear Materials	180
7.4.1	Shoe Heels on Dry, Smooth Floors	180
7.4.2	A Rubber Test Foot on in-Service Floors	182
7.5	Microhysteresis in Dry Rubber Belting	183
7.6	Rubber Adhesion-Transition-Pressure Phenomenon on Macroscopically Rough Surfaces	184
7.6.1	Development of the Adhesion-Transition-Pressure Phenomenon in Hamble's Testing of Rough Portland Cement Concrete	184
7.6.1.1	Accounting for Inertial Bias in Hamble's Testing	184
7.6.1.2	Adhesion-Development Issues in Hamble's Testing	184
7.6.1.3	Transition Pressure Mechanisms in Hamble's Testing	185
7.6.2	Quantifying Inertial Bias in Hamble's Testing	186
7.7	Chapter Review	188
	References	189
8	Microhysteresis in Wet Rubber Products	191
8.1	Introduction	191
8.2	Effects of Wet Lubricants on the Rubber Adhesion Mechanism	191
8.2.1	Wet-Lubricant Investigations in Friction Testing	191
8.2.2	Rubber Friction in "Dry" and Wet Conditions	192
8.3	Microhysteresis in Automotive Tire Rubber under Wet Conditions	193
8.3.1	Dependence of Wet-Tire Traction on Rubber Microhysteresis	193
8.3.2	Rubber Microhysteresis in Tire-Tread Test Specimens in Wet Conditions	194

8.4	Microhysteresis in Wet Aircraft Tires	196
8.5	Rubber Microhysteresis in Wet Footwear Outsoles	199
8.5.1	Rubber Microhysteresis in Wet Work Shoe Outsoles	199
8.5.2	Rubber Microhysteresis in Wet Safety Shoe Outsoles	199
8.5.3	Microhysteresis in Wet ANOVA Testing of Elastomeric Shoe Outsoles	202
8.6	Ramifications of the Presence of Microhysteresis in Wet Rubber Products	204
8.7	Rubber Adhesion-Transition Phenomenon on Wet Surfaces	206
8.7.1	Automobile Tire-Tread Rubber	206
8.7.2	Aircraft Tires	208
8.7.3	Footwear Outsoles	209
8.7.3.1	Work Shoes	209
8.7.3.2	Safety Shoes	209
8.7.4	Ramifications of the Presence of the Adhesion- Transition Phenomenon in Wet Rubber Products	211
8.8	Chapter Review	212
	References	213
9	Rubber Microhysteresis in Static-Friction Testing	215
9.1	Introduction	215
9.2	Does Static Friction in Rubber Exist?	215
9.2.1	Hurry and Prock's Position	215
9.2.2	Kummer's Position	216
9.3	Two Portable Static-Friction Testing Devices	217
9.4	Definition of Static Friction	219
9.5	Rubber Microhysteresis in Static-Friction Testing	220
9.5.1	Findings of the Powers et al. Testing	220
9.5.2	Adhesion and Rubber Microhysteresis in PIAST Testing	220
9.6	Independence of the Rubber Microhysteresis Force in Static- Friction Testing	223
9.7	Adhesion and Rubber Microhysteresis in VIT Testing	223
9.8	Chapter Review	225
	References	226
10	Inertial, Residence-Time, Adhesion-Transition, and Contact-Time Bias in Portable Walking-Surface Slip- Resistance Testers	227
10.1	Introduction	227
10.2	Remediable Inertial Bias in Portable Walking-Surface Slip- Resistance Testers	229
10.2.1	Quantifying Inertial Forces in Static-Friction Testing Using the Hoechst Device	229
10.2.2	Inertial Bias in VIT Testing	230

10.2.2.1 Static-Friction Testing Utilizing the VIT Device	230
10.2.2.2 Correcting for Inertial Bias in Dry VIT Static-Friction Testing.....	232
10.2.2.3 Inertial Bias in the VIT When Used as a Dynamic-Friction Tester	234
10.2.3 Inertial Bias in the PIAST When Used as a Dynamic-Friction Tester.....	236
10.2.4 Inertial Bias in the HPS When Used as a Static-Friction Tester.....	237
10.3 Irremediable Inertial Bias in Portable Walking-Surface Slip-Resistance Testers.....	238
10.3.1 Irremediable Inertial Bias in the HP-M.....	239
10.3.2 Irremediable Inertial Bias in Other Manually Operated Pull-Meter Testers.....	240
10.4 Remediable Residence-Time Bias in Static-Friction Testing	241
10.4.1 Quantifying Residence-Time Bias Using the Hoechst Device.....	241
10.4.2 Demonstrating the Residence-Time Effect Using the VIT	242
10.4.3 Remedying Residence-Time Bias in Portable Slip-Resistance Testers	242
10.5 Irremediable Adhesion-Transition Bias in Portable Walking-Surface Slip-Resistance Testers	242
10.5.1 Irremediable Adhesion-Transition Bias in VIT Testing	242
10.5.2 Irremediable Adhesion-Transition Bias in PIAST Testing.....	244
10.6 Contact-Time Bias for Tribometer Comparability	245
10.7 Chapter Review	246
10.7.1 Inertial Bias.....	246
10.7.2 Residence-Time Bias.....	247
10.7.3 Adhesion-Transition Bias.....	247
10.7.4 Test Foot Contact-Time Bias for Tribometer Comparability	247
References	248
11 Nonscientific Application of the Laws of Metallic Friction to Rubber Tires Operated on Pavements.....	249
11.1 Introduction	249
11.2 Comparing the Characteristics of Rubber Friction to Metallic Friction	250
11.3 Effects of the Development of Microhysteretic Forces on Tire-Friction Analysis.....	251
11.3.1 Development of the Constant Microhysteretic Friction Force in Rubber Tires.....	251

11.3.2	Development of the Adhesion-Transition Phenomenon in Rubber Tires	252
11.3.3	Development of the Macrohysteresis Friction Force in Rubber Tires	253
11.3.4	Application of a Unified Theory of Rubber Friction to Analysis of Tire-Roadway Traction-Testing Results.....	253
11.4	Comparability of Rubber-Friction Testing Data	254
11.5	Inadvertent Misapplication of the Laws of Metallic Friction to Rubber Tires in ASTM Test Standards	257
11.5.1	ASTM Test Standards with an "E" Designation.....	258
11.5.1.1	ASTM E 274 – 06, Standard Test Method for Skid Resistance of Paved Surfaces Using a Full-Scale Tire.....	258
11.5.1.2	ASTM E 445/E 445M – 88 (Reapproved 2001), Standard Test Method for Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped with Full-Scale Tires	259
11.5.1.3	ASTM E 503/E 503M – 88 (Reapproved 2004), Standard Test Methods for Measurement of Skid Resistance on Paved Surfaces Using a Passenger Vehicle Diagonal Braking Technique.....	260
11.5.1.4	ASTM E 670 – 94 (Reapproved 2000), Standard Test Method for Side Friction Force on Paved Surfaces Using the Mu-Meter.....	260
11.5.1.5	ASTM E 1337 – 90 (Reapproved 2002), Standard Test Method for Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using a Standard Reference Tire.....	261
11.5.1.6	ASTM E 1859 – 97 (Reapproved 2006), Standard Test Method for Friction Coefficient Measurements between Tire and Pavement Using a Variable Slip Technique.....	261
11.5.1.7	ASTM E 1890 – 01 (Reapproved 2006), Standard Guide for Validating New Area Reference Skid Measurement Systems and Equipment.....	262
11.5.1.8	ASTM E 1911 – 98 (Reapproved 2002), Standard Test Method for Measuring Paved Surface Frictional Properties Using the Dynamic Friction Tester.....	262
11.5.1.9	ASTM E 1960 – 03, Standard Practice for Calculating International Friction Index of a Pavement Surface	263
11.5.1.10	ASTM E 2100 – 04, Standard Practice for Calculating the International Runway Friction Index	263

11.5.2 ASTM Test Standards with an "F" Designation	264
11.5.2.1 ASTM F 403 – 98, Standard Test Method for Tires for Wet Traction in Straight-Ahead Braking, Using Highway Vehicles	264
11.5.2.2 ASTM F 408 – 99, Standard Test Method for Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer	265
11.5.2.3 ASTM F 538 – 03, Standard Terminology Relating to the Characteristics and Performance of Tires	266
11.5.2.4 ASTM F 1649 – 96 (Reapproved 2003), Standard Test Methods for Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti- Lock Braking Systems	266
11.5.2.5 ASTM F 1805 – 00, Standard Test Method for Single-Wheel-Driving Traction in a Straight Line on Snow- and Ice-Covered Surfaces	267
11.6 Inadvertent Misapplication of the Laws of Metallic Friction to Rubber Tires in Motor Vehicle Accident Reconstruction	267
11.6.1 Background	267
11.6.2 Traditional Use of Newton's Second Law of Motion in Accident Reconstruction	268
11.6.2.1 Use of Newton's Second Law of Motion When Only the Rubber Adhesion and Microhysteresis Mechanisms are Present	269
11.6.2.2 Use of Newton's Second Law of Motion When the Rubber Macrohysteresis Mechanism is Present	269
11.6.2.3 Use of Newton's Second Law of Motion When the Rubber Cohesion-Loss Friction Mechanism is Present	270
11.6.2.4 Use of Newton's Second Law of Motion When Tread Temperatures Change	270
11.6.2.5 Traditional Use of Newton's Second Law of Motion When Dynamic Load Transfer Occurs	271
11.6.2.6 Equations of Motion Utilized in Accident Reconstruction in Which a μ Term May Not be Substituted for an a Term	272
11.6.3 Drag Factors	274
11.6.3.1 Use of Drag Factors in Tire-Traction-Related Motor Vehicle Accident Reconstruction	274
11.6.3.2 Use of Drag Factors in Motorcycle Accident Reconstruction	274
11.6.4 Definition of the Maximum Braking Force in Motor Vehicle Accident Reconstruction	275

11.6.5 Traditional Use of Energy Methods in Motor Vehicle Accident Reconstruction	275
11.7 Inadvertent Misapplication of the Laws of Metallic Friction to Rubber Tires in the Geometric Design of Roadways	276
11.7.1 Background	276
11.7.2 Braking Distance on Horizontal Pavement	277
11.7.2.1 Macroscopically Smooth Pavements	277
11.7.2.2 Macroscopically Rough Pavements	278
11.7.3 Braking Distance on Up- or Down-Grades	279
11.7.4 Side Friction Factor	280
11.7.5 Superelevation	280
11.7.6 Superelevation Runoff Length	281
11.7.7 Maximum Degree of Curvature	281
11.7.8 Minimum Radius of Curvature	282
11.8 Chapter Review	282
11.8.1 Comparing Rubber Friction to Metallic Friction	282
11.8.2 Aspects of Microhysteretic Friction Force Development in Rubber	283
11.8.3 Comparability of Tire-Friction Test Results	284
11.8.4 Related ASTM Test Standards	285
11.8.5 Motor Vehicle Accident Reconstruction	286
11.8.6 Geometric Design of Roadways	287
References	287
12 Friction Analysis in the Design of Rubber Tires and Their Contacted Pavements	289
12.1 Introduction	289
12.2 Importance of Tire Microhysteresis on Wet Pavements	289
12.2.1 Three-Lubrication-Zones Concept	290
12.2.2 Traditional Wet Roadway Microtexture Analysis	291
12.2.3 Importance of Aircraft Tire Microhysteresis on Wet Pavement	293
12.2.4 Quantifying Tire Microhysteresis on Wet Pavement Using the Unified Theory of Rubber Friction	293
12.2.5 Corroboration for the Three-Lubrication-Zones Concept	294
12.3 Reformulation of the Traditional Friction Force vs. Tire Slip Relationship	295
12.4 Measuring Tire Microhysteresis on Wet Pavements in the Design Process	297
12.4.1 Using the British Pendulum Tester for Microhysteresis Measurements	297
12.4.1.1 Background	297
12.4.1.2 Back-Calculation Analysis of Yandell's BPT Test Results	299

12.4.2 Using the North Carolina State University Variable-Speed Friction Tester for Microhysteresis Measurements.....	300
12.5 Application of the Unified Theory to Analysis of Friction in the Design of Tire-Pavement Systems.....	301
12.5.1 Potential Benefits from Application of the Unified Theory to Friction Analysis.....	301
12.5.2 Rubber Macrohysteresis Mechanisms.....	302
12.5.2.1 Adhesion-Assisted Macrohysteresis on Dry Surfaces.....	302
12.5.2.2 Adhesion-Assisted Macrohysteresis in Wet Conditions.....	307
12.5.2.3 Nonadhesion-Assisted Macrohysteresis on Fully Wetted Surfaces.....	309
12.5.3 The Load Dependence of Tire-Tread Rubber Friction.....	312
12.5.4 Use of the Unified Theory for Friction Analysis in Design of Tire-Pavement Systems.....	313
12.5.4.1 Process Brief.....	314
12.5.4.2 Process Specifications.....	314
12.5.4.3 Action Item Concept Design.....	315
12.5.4.4 Action Item Detail Design.....	316
12.6 Chapter Review.....	316
12.6.1 Importance of Tire Microhysteresis on Wet Pavements.....	317
12.6.1.1 Three-Lubrication-Zones Concept.....	317
12.6.1.2 Traditional Wet-Roadway Texture Analysis.....	317
12.6.1.3 Importance of Aircraft Tire Microhysteresis on Wet Pavement.....	318
12.6.1.4 Quantifying Tire Microhysteresis on Wet Pavement Using the Unified Theory of Rubber Friction.....	318
12.6.1.5 Corroboration for the Three-Lubrication- Zones Concept.....	318
12.6.2 Reformulation of the Friction Force vs. Tire-Slip Relationship.....	318
12.6.3 Measuring Tire Microhysteresis on Wet Pavements in the Design Process.....	319
12.6.4 Application of the Unified Theory to Analysis of Friction in the Design of Tire-Pavement Systems.....	319
12.6.4.1 Potential Benefits from Application of the Unified Theory to Friction Analysis.....	319
12.6.4.2 Rubber Macrohysteresis Mechanisms.....	320
12.6.5 The Load Dependence of Rubber Tire-Tread Friction.....	321
12.6.6 Use of the Unified Theory for Friction Analysis in Design of Tire-Pavement Systems.....	322
12.6.6.1 Process Brief.....	322

12.6.6.2 Process Specifications.....	322
References.....	323
13 Nonscientific Application of the Laws of Metallic Friction to Footwear Outsole-Walking Surface Pairings.....	325
13.1 Introduction.....	325
13.2 Comparing the Characteristics of Rubber Friction to Metallic Friction.....	326
13.3 Effects of the Development of Microhysteretic Slip-Resistance Forces on Rubber-Friction Analysis.....	327
13.3.1 Development of the Microhysteretic Slip-Resistance Force in Pedestrian Ambulation.....	327
13.3.2 Development of the Adhesion Transition Phenomenon in Pedestrian Ambulation.....	327
13.3.3 Development of the Macrohysteresis Slip-Resistance Force in Pedestrian Ambulation.....	328
13.3.4 Application of the Unified Theory of Rubber Friction to Analysis of Footwear Outsole-Walking Surface Slip-Resistance Testing.....	330
13.4 Comparability of Slip-Resistance Testing Data.....	331
13.5 Inadvertent Misapplication of the Laws of Metallic Friction in ASTM Slip-Resistance Testing Methods.....	333
13.5.1 Irremediable Bias in Slip-Resistance Testers with Active ASTM Test Standards.....	333
13.5.1.1 ASTM D 2047 – 04, Standard Test Method for Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine.....	334
13.5.1.2 Irremediable Inertial and Residence-Time Bias in the James Machine.....	334
13.5.2 ASTM F 1646 – 05, Standard Terminology Relating to Safety and Traction for Footwear.....	336
13.6 Inadvertent Misapplication of the Laws of Metallic Friction by Slip-Resistance Testing Devices That are Not the Subject of Active ASTM Standards.....	336
13.6.1 Irremediable Bias in Slip-Resistance Testers That are Not the Subject of Active ASTM Test Standards.....	336
13.6.2 Misapplication of the Laws of Metallic Friction in the PIAST and VIT When Used as Static-Friction Testers.....	337
13.6.3 Misapplication of the Laws of Metallic Friction in the PIAST and VIT When Used as Dynamic-Friction Testers.....	337
13.6.4 ASM 825 Digital Slip Meter.....	338
13.6.5 Portable Articulated Strut Slip Tester (PAST).....	338
13.6.6 Technical Products Corporation Model 80 Tester.....	338

13.7 Irremediable Inertial and Residence-Time Bias in Slip-Resistance-Testing Devices That are Not the Subject of ASTM Standards	338
13.7.1 Irremediable Inertial and Residence-Time Bias in the ASM 825 Digital Slip Meter.....	339
13.7.2 Irremediable Inertial and Residence-Time Bias in the Technical Products Corporation Model 80 Tester.....	339
13.8 Chapter Review	339
13.8.1 Comparing the Characteristics of Rubber Friction to Metallic Friction.....	340
13.8.2 Effects of the Development of Microhysteretic Slip-Resistance Forces on Rubber-Friction Analysis	341
13.8.2.1 Development of the Microhysteretic Slip-Resistance Force in Pedestrian Ambulation	341
13.8.2.2 Development of the Adhesion-Transition Phenomenon in Pedestrian Ambulation	341
13.8.2.3 Development of the Macrohysteresis Slip-Resistance Force in Pedestrian Ambulation on Rough Walking Surfaces.....	342
13.8.3 Application of the Unified Theory of Rubber Friction to Analysis of Footwear Outsole-Walking Surface Slip-Resistance Testing	342
13.8.4 Comparability of Slip-Resistance Testing Data.....	343
13.8.5 Inadvertent Misapplication of the Laws of Metallic Friction in ASTM Slip-Resistance Testing Methods.....	344
13.8.6 Inadvertent Misapplication of the Laws of Metallic Friction by Slip-Resistance Testing Devices That are Not the Subject of Active ASTM Standards.....	344
References	344
14 Slip-Resistance Analysis in the Design of Footwear Outsoles and Their Paired Walking Surfaces	345
14.1 Introduction	345
14.2 Importance of Footwear Outsole Microhysteresis in Wet Conditions.....	345
14.2.1 Three-Lubrication-Zones Concept	346
14.2.2 Traditional Wet Roadway Microtexture Analysis	346
14.2.3 Importance of Aircraft Tire Microhysteresis on Wet Pavement.....	347
14.2.4 Corroboration for the Three-Lubrication-Zones Concept as Applied to Walking-Surface Slip Resistance	348
14.2.4.1 Tisserand's Testing.....	348
14.2.4.2 Grönqvist's Testing.....	348
14.2.4.3 Redfern and Bidanda's Testing	349
14.3 Reformulating the Traditional Approach to Walking-Surface Slip-Resistance Testing.....	350

14.3.1 Test Results from the ASTM F-13 Bucknell University Workshop.....	350
14.3.1.1 Effect from Inadvertent Misapplication of the Laws of Metallic Friction to Rubber Friction	351
14.3.1.2 Effect from the Presence of Test-Foot-Area Bias on Test Measurements	351
14.3.1.3 Effect from the Presence of Inertial Forces in Test Measurements	351
14.3.1.4 Effect from the Presence of Contact-Time Bias on Test Measurements.....	352
14.3.2 Conclusions from the ASTM F-13 Bucknell Workshop: Sticktion	353
14.3.3 Exemplifying Inertial and Residence-Time Bias in an ASTM F-13 Workshop Pull-Meter.....	355
14.3.3.1 Inertial Bias	355
14.3.3.2 Contact-Time Bias	356
14.3.4 Developments Arising from the ASTM F-13 Workshop Conclusions	357
14.4 Measuring Footwear Outsole Microhysteresis on Wet Walking Surfaces in the Design Process	357
14.4.1 Using the British Pendulum Tester for Microhysteresis Measurements on Rough Walking Surfaces	358
14.4.1.1 Background.....	358
14.4.1.2 Back-Calculation Analysis of Yandell's BPT Test Results	359
14.4.2 Using the Sigler Pendulum Tester for Microhysteresis Measurements on Smooth Walking Surfaces.....	360
14.5 Application of the Unified Theory to Analysis of Slip Resistance in the Design of Footwear Outsole-Walking Surface Pairings.....	361
14.5.1 Potential Benefits from Application of the Unified Theory to Friction Analysis	361
14.5.2 Rubber Outsole Macrohysteresis Mechanisms	362
14.5.2.1 Adhesion-Assisted Macrohysteresis on Dry Surfaces	362
14.5.2.2 Adhesion-Assisted Macrohysteresis in Wet Conditions.....	366
14.5.2.3 Nonadhesion-Assisted Macrohysteresis on Fully Wetted Surfaces	369
14.5.3 Use of the Unified Theory for Slip-Resistance Analysis in Design of Footwear Outsoles and Their Paired Walking Surfaces	372
14.5.3.1 Process Brief.....	373
14.5.3.2 Process Specifications.....	373
14.5.3.3 Action Item Concept Design	374

14.5.3.4 Action Item Detail Design	375
14.6 Chapter Review	375
14.6.1 Importance of Rubber Microhysteresis in Wet Conditions	376
14.6.1.1 Three-Lubrication-Zones Concept.....	376
14.6.1.2 Traditional Wet-Roadway Texture Analysis	376
14.6.1.3 Importance of Aircraft Tire Microhysteresis on Wet Pavement.....	377
14.6.1.4 Corroboration for the Three-Lubrication-Zones Concept as Applied to Walking-Surface Slip Resistance	377
14.6.2 Reformulating the Traditional Approach to Walking-Surface Slip-Resistance Testing	377
14.6.2.1 Test Results from the ASTM F-13 Bucknell University Workshop	378
14.6.2.2 Effect from Inadvertent Misapplication of the Laws of Metallic Friction to Rubber Friction	378
14.6.2.3 Effect from the Presence of Unquantified Inertial Forces in Workshop Test Measurements	379
14.6.2.4 Effect from the Presence of Contact-Time Bias in Workshop Test Measurements	379
14.6.2.5 Effect from the Presence of Test-Foot-Area Bias in Test Measurements	379
14.6.3 Conclusions from the ASTM F-13 Bucknell Workshop: Sticktion	380
14.6.4 Measuring Footwear Outsole Microhysteresis on Wet Walking Surfaces in the Design Process.....	381
14.6.4.1 Using the British Pendulum Tester for Outsole Microhysteresis Measurements on Rough Walking Surfaces	381
14.6.4.2 Using the Sigler Pendulum Tester for Microhysteresis Measurements on Smooth Walking Surfaces	382
14.6.5 Application of the Unified Theory to Analysis of Slip Resistance in the Design of Footwear Outsole-Walking Surface Pairings.....	382
14.6.5.1 Potential Benefits from Application of the Unified Theory to Slip-Resistance Analysis	382
14.6.5.2 Rubber Outsole Macrohysteresis Mechanisms in Wet and Dry Conditions	383
14.6.5.3 Use of the Unified Theory for Slip-Resistance Analysis in Design of Footwear Outsoles and Their Paired Walking Surfaces	385
References	385
Index	387