



# RUBBER-CLAY NANOCOMPOSITES

*Science, Technology, and Applications*



Edited by  
MAURIZIO GALIMBERTI

 WILEY

# CONTENTS

---

<b>PREFACE</b>	<b>xvii</b>
<b>CONTRIBUTORS</b>	<b>xxi</b>
<b>SECTION I CLAYS FOR NANOCOMPOSITES</b>	
<b>1 CLAYS AND CLAY MINERALS</b>	<b>3</b>
1.1 What's in a Name / 3	
1.2 Multiscale Organization of Clay Minerals / 6	
1.2.1 Dispersion Versus Aggregation / 6	
1.2.2 Delamination/Exfoliation Versus Stacking / 6	
1.3 Intimate Organization of the Layer / 8	
1.3.1 Cationic and Neutral Clay Minerals / 8	
1.3.2 Anionic Clay Minerals (O) / 21	
1.4 Most Relevant Physicochemical Properties of Clay Mineral / 22	
1.4.1 Surface Area and Porosity / 22	
1.4.2 Chemical Landscape of the Clay Surfaces / 24	
1.4.3 Cation (and Anion) Exchange Capacity / 24	
1.4.4 Intercalation and Confinement in the Interlayer Space / 27	
1.4.5 Swelling / 30	
1.4.6 Rheology / 31	

- 1.5 Availability of Natural Clays and Synthetic Clay Minerals / 33  
 1.6 Clays and (Modified) Clay Minerals as Fillers / 35  
 Acknowledgment / 37  
 References / 37

## 2 ORGANOPHILIC CLAY MINERALS

45

- 2.1 Organophilicity/Lipophilicity and the Hydrophilic/Lipophilic Balance (HLB) / 45  
 2.2 From Clays to Organoclays in Polymer Technology / 47  
 2.3 Methods of Organoclay Synthesis / 49  
   2.3.1 Cation Exchange from Solutions / 49  
   2.3.2 Solid-State Intercalation / 58  
   2.3.3 Grafting from Solution / 59  
   2.3.4 Direct Synthesis of Grafted Organoclays / 62  
   2.3.5 Postsynthesis Modifications of Organoclays: The "PCH" / 64  
   2.3.6 An Overview of Commercial Organoclays / 64  
   2.3.7 One-Pot CPN Formation / 66  
 2.4 Other Types of Clay Modifications for Clay-Based Nanomaterials / 66  
   2.4.1 Organo-Pillared Clays / 66  
   2.4.2 Plasma-Treated Clays / 69  
 2.5 Fine-Tuning of Organoclays Properties / 69  
   2.5.1 Maximizing the Dispersion of the Filler: Effect of Surfactant/CEC Ratio / 69  
   2.5.2 Improving Thermal Stability / 70  
   2.5.3 Chemical Treatments / 71  
   2.5.4 Physical Treatments (Freeze-Drying, Sonication, Microwave) / 71  
 2.6 Some Introductory Reflections on Organoclay Polymer Nanocomposites / 72  
 References / 75

## 3 INDUSTRIAL TREATMENTS AND MODIFICATION OF CLAY MINERALS

87

- 3.1 Bentonite: From Mine to Plant / 87  
   3.1.1 A Largely Diffused Clay / 87  
   3.1.2 Geological Occurrence / 89  
   3.1.3 Mining / 89  
 3.2 Processing of Bentonite / 90  
   3.2.1 Modification of Bentonite Properties / 90  
   3.2.2 Processing Technologies / 91

- 3.3 Purification of Clay / 93
  - 3.3.1 Influence of Clay Concentration / 94
  - 3.3.2 Influence of Swelling Time / 94
  - 3.3.3 Influence of Temperature / 95
- 3.4 Reaction of Clay with Organic Substances / 97
- 3.5 Particle Size Modification / 99
- References / 99

#### **4 ALKYLAMMONIUM CHAINS ON LAYERED CLAY MINERAL SURFACES**

101

- 4.1 Structure and Dynamics / 101
  - 4.1.1 Packing Density and Self-Assembly / 102
  - 4.1.2 Dynamics and Diffusion at the Clay-Surfactant Interface / 110
  - 4.1.3 Utility of Molecular Simulation to Obtain Molecular-Level Insight / 111
- 4.2 Thermal Properties / 111
  - 4.2.1 Reversible Melting Transitions of Alkyl Chains in the Interlayer / 111
  - 4.2.2 Solvent Evaporation and Thermal Elimination of Alkyl Surfactants / 113
- 4.3 Layer Separation and Miscibility with Polymers / 115
  - 4.3.1 Thermodynamics Model for Exfoliation in Polymer Matrices / 115
  - 4.3.2 Cleavage Energy / 116
  - 4.3.3 Surface Energy / 121
- 4.4 Mechanical Properties of Clay Minerals / 121
- References / 123

#### **5 CHEMISTRY OF RUBBER-ORGANOCLAY NANOCOMPOSITES**

127

- 5.1 Introduction / 127
- 5.2 Organic Cation Decomposition in Salts, Organoclays and Polymer Nanocomposites / 128
  - 5.2.1 Experimental Techniques / 128
  - 5.2.2 Decomposition of Organoclays Versus Precursor Organic Cation Salts / 133
- 5.3 Mechanism of Thermal Decomposition of Organoclays / 135
- 5.4 Role of Organic Cations in Organoclays as Rubber Vulcanization Activators / 137
- References / 141

## SECTION II PREPARATION AND CHARACTERIZATION OF RUBBER-CLAY NANOCOMPOSITES

### 6 PROCESSING METHODS FOR THE PREPARATION OF RUBBER-CLAY NANOCOMPOSITES

147

- 6.1 Introduction / 147
- 6.2 Latex Compounding Method / 148
  - 6.2.1 Mechanism / 148
  - 6.2.2 Influencing Factors / 149
- 6.3 Melt Compounding / 157
  - 6.3.1 Mechanism / 157
  - 6.3.2 Influencing Factors / 160
- 6.4 Solution Intercalation and *In Situ* Polymerization Intercalation / 170
- 6.5 Summary and Prospect / 170
- Acknowledgment / 171
- References / 171

### 7 MORPHOLOGY OF RUBBER-CLAY NANOCOMPOSITES

181

- 7.1 Introduction / 181
  - 7.1.1 Focus, Objective and Structure of Chapter 7 / 181
  - 7.1.2 X-Ray Diffraction Analysis for the Investigation of RCN / 182
- 7.2 Background for the Review of RCN Morphology / 182
  - 7.2.1 Cationic Clays Used for the Preparation of Rubber Nanocomposites / 182
  - 7.2.2 Multiscale Organization of Layered Clays / 184
  - 7.2.3 Clay Distribution and Dispersion / 184
  - 7.2.4 Clay Modification: Intercalation of Low Molecular Mass Substances / 184
  - 7.2.5 Types of Polymer-Clay Composites / 184
  - 7.2.6 Specific Literature on RCN / 186
- 7.3 Rubber-Clay Nanocomposites with Pristine Clays / 186
  - 7.3.1 Rubber Nanocomposites with Cationic Clays / 187
  - 7.3.2 In a Nutshell / 187
  - 7.3.3 Distribution and Dispersion of a Pristine Clay in a Rubber Matrix / 190
  - 7.3.4 Organization of Aggregated Pristine Clays / 194
- 7.4 Rubber-Clay Nanocomposites with Clays Modified with Primary Alkenylamines / 197
  - 7.4.1 In a Nutshell / 197
  - 7.4.2 Composites with Montmorillonite and Bentonite / 198

- 7.4.3 Composites with Fluorohectorite Modified with a Primary Alkenylamine / 202
- 7.5 Rubber-Clay Nanocomposites with Clays Modified with an Ammonium Cation Having three Methyls and One Long-Chain Alkenyl Substituents / 206
  - 7.5.1 In a Nutshell / 206
  - 7.5.2 Composites with Montmorillonite and Bentonite / 207
- 7.6 Rubber-Clay Nanocomposites with Montmorillonite Modified with Two Substituents Larger Than Methyl / 212
  - 7.6.1 In a Nutshell / 212
  - 7.6.2 Hydrogenated Tallow and Benzyl Groups as Ammonium Cation Substituents / 213
  - 7.6.3 Hydrogenated Tallow and Ethylhexyl Groups as Ammonium Cation Substituents / 213
  - 7.6.4 Other Long- and Short-Chain Alkenyl Groups as Ammonium Cation Substituents / 215
- 7.7 Rubber Composites with Montmorillonite Modified with an Ammonium Cation Containing a Polar Group / 215
  - 7.7.1 In a Nutshell / 217
  - 7.7.2 Composites with Diene Rubbers / 217
- 7.8 Rubber Nanocomposites with Montmorillonite Modified with an Ammonium Cation Containing Two Long-Chain Alkenyl Substituents / 219
  - 7.8.1 In a Nutshell / 220
  - 7.8.2 Composites with Two Talloyl Groups as Ammonium Cation Substituents / 220
- 7.9 Proposed Mechanisms for the Formation of Rubber-Clay Nanocomposites / 228
  - 7.9.1 Two Mechanisms for the Formation of an Exfoliated Clay / 228
  - 7.9.2 Two Mechanisms for the Formation of an Intercalated Organoclay / 228
  - 7.9.3 Intercalation of Polymer Chains in the Interlayer Space / 229
  - 7.9.4 Intercalation of Low Molecular Mass Substances in the Interlayer Space / 230
- Abbreviations / 232
- Acknowledgment / 233
- References / 233

## 8 RHEOLOGY OF RUBBER-CLAY NANOCOMPOSITES

241

- 8.1 Introduction / 241
- 8.2 Rheological Behavior of Rubber-Clay Nanocomposites / 242

- 8.2.1 Natural Rubber (NR), Epoxidized Natural Rubber (ENR) and Polyisoprene Rubber (IR)-Clay Nanocomposites / 243
- 8.2.2 Styrene-Butadiene Rubber (SBR)-Clay Nanocomposites / 246
- 8.2.3 Polybutadiene Rubber (BR)-Clay Nanocomposites / 247
- 8.2.4 Acrylonitrile Butadiene Rubber (NBR)-Clay Nanocomposites / 250
- 8.2.5 Ethylene Propylene Rubber-Clay Nanocomposites / 253
- 8.2.6 Fluoroelastomer-Clay Nanocomposites / 254
- 8.2.7 Poly(isobutylene-*co*-*para*-methylstyrene) (BIMS) Rubber-Clay Nanocomposites / 257
- 8.2.8 Poly(ethylene-*co*-vinylacetate) (EVA) Rubber-Clay Nanocomposites / 257
- 8.2.9 Polyepichlorohydrin Rubber-Clay Nanocomposites / 259
- 8.2.10 Thermoplastic Polyurethane (TPU)-Clay Nanocomposites / 261
- 8.2.11 Styrene-Ethylene-Butylene-Styrene (SEBS) Block Copolymer-Clay Nanocomposites / 262
- 8.3 General Remarks on Rheology of Rubber-Clay Nanocomposites / 263
- 8.4 Overview of Rheological Theories of Polymer-Clay Nanocomposites / 269
- 8.5 Conclusion and Outlook / 270
- References / 271

## 9 VULCANIZATION CHARACTERISTICS AND CURING KINETIC OF RUBBER-ORGANOCLAY NANOCOMPOSITES

275

- 9.1 Introduction / 275
- 9.2 Vulcanization Reaction / 276
- 9.3 Rubber Cross-Linking Systems / 278
  - 9.3.1 Sulfur Vulcanization / 278
  - 9.3.2 Peroxide Vulcanization / 282
- 9.4 The Role of Organoclay on Vulcanization Reaction / 283
  - 9.4.1 Influence of Organoclay Structural Characteristics on Rubber Vulcanization / 288
- 9.5 Vulcanization Kinetics of Rubber-Organoclay Nanocomposites / 290
- 9.6 Conclusions / 297
- References / 298

<b>10</b>	<b>MECHANICAL AND FRACTURE MECHANICS PROPERTIES OF RUBBER COMPOSITIONS WITH REINFORCING COMPONENTS</b>	<b>305</b>
10.1	Introduction / 305	
10.2	Testing of Viscoelastic and Mechanical Properties of Reinforced Elastomeric Materials / 307	
10.2.1	Dynamic-Mechanical Analysis / 307	
10.2.2	Tensile Testing / 310	
10.2.3	Assessment of Toughness Behavior under Impact-Like Loading Conditions / 313	
10.2.4	Hardness Testing / 315	
10.2.5	Special Methods / 316	
10.3	Characterization of the Fracture Behavior of Elastomers / 319	
10.3.1	Fracture Mechanics Concepts / 319	
10.3.2	Experimental Methods / 321	
10.4	Mechanism of Reinforcement in Rubber-Clay Composites / 328	
10.5	Theories and Modeling of Reinforcement / 333	
	Acknowledgment / 336	
	References / 336	
<b>11</b>	<b>PERMEABILITY OF RUBBER COMPOSITIONS CONTAINING CLAY</b>	<b>343</b>
11.1	Introduction / 343	
11.1.1	Butyl Rubbers as Nanocomposite Base Elastomers / 343	
11.1.2	Measurement of Tire Innerliner Compound Permeability / 345	
11.1.3	Further Improvement in Tire Permeability / 346	
11.2	Nanocomposites / 346	
11.3	Preparation of Elastomer Nanocomposites / 352	
11.4	Temperature and Compound Permeability / 352	
11.5	Vulcanization of Nanocomposite Compounds and Permeability / 356	
11.6	Thermodynamics and BIMSM Montmorillonite Nanocomposites / 358	
11.7	Nanocomposites and Tire Performance / 362	
11.8	Summary / 364	
	References / 364	



**SECTION III COMPOUNDS WITH RUBBER-CLAY NANOCOMPOSITES****12 RUBBER-CLAY NANOCOMPOSITES BASED ON APOLAR DIENE RUBBER**

369

- 12.1 Introduction / 369
- 12.2 Preparation Methods / 371
  - 12.2.1 Latex / 371
  - 12.2.2 Solution / 373
  - 12.2.3 Melt Blending / 374
- 12.3 Cure Characteristics / 377
- 12.4 Clay Dispersion / 379
  - 12.4.1 Detection / 380
  - 12.4.2 Characterization / 383
- 12.5 Properties / 387
  - 12.5.1 Mechanical (Dynamic-Mechanical) / 387
  - 12.5.2 Friction/Wear/Abrasion / 392
  - 12.5.3 Barrier / 393
  - 12.5.4 Fire Resistance / 396
  - 12.5.5 Others / 397
- 12.6 Applications and Future Trends / 398
- Acknowledgment / 399
- References / 399

**13 RUBBER-CLAY NANOCOMPOSITES BASED ON NITRILE RUBBER**

409

- 13.1 Introduction / 409
- 13.2 Preparation Methods and Clay Dispersion / 410
  - 13.2.1 Solution / 410
  - 13.2.2 Latex / 411
  - 13.2.3 Melt Blending / 412
- 13.3 Cure Characteristics / 414
- 13.4 Properties / 416
  - 13.4.1 Mechanical (Dynamic-Mechanical) / 416
  - 13.4.2 Friction/Wear / 421
  - 13.4.3 Barrier / 423
  - 13.4.4 Fire Resistance / 424
  - 13.4.5 Others / 425
- 13.5 Outlook / 425
- Acknowledgment / 426
- References / 426

- 14 RUBBER-CLAY NANOCOMPOSITES BASED ON BUTYL AND HALOBUTYL RUBBERS 431**
- 14.1 Introduction / 431
    - 14.1.1 Butyl Rubber: Key Properties and Applications / 431
    - 14.1.2 Butyl Rubber-Clay Nanocomposites / 433
  - 14.2 Types of Clays Useful in Butyl Rubber-Clay Nanocomposites / 435
    - 14.2.1 Montmorillonite Clays / 435
    - 14.2.2 Hydrotalcite Clays / 435
    - 14.2.3 High Aspect Ratio Talc Fillers / 436
    - 14.2.4 Other Clays / 437
  - 14.3 Compatibilizer Systems for Butyl Rubber-Clay Nanocomposites / 438
    - 14.3.1 Surfactants and Swelling Agents / 439
    - 14.3.2 Butyl Rubber Ionomers / 439
    - 14.3.3 Maleic Anhydride-Grafted Polymers / 443
    - 14.3.4 Low Molecular Weight Polymers and Resins / 444
  - 14.4 Methods of Preparation of Butyl Rubber-Clay Nanocomposites / 444
    - 14.4.1 Melt Method / 445
    - 14.4.2 Solution Method / 445
    - 14.4.3 Latex Method / 447
    - 14.4.4 *In Situ* Polymerization / 448
  - 14.5 Properties and Applications of Butyl Rubber-Clay Nanocomposites / 449
    - 14.5.1 Air Barrier Properties / 449
    - 14.5.2 Reinforcement Properties / 452
    - 14.5.3 Vulcanization Properties / 454
    - 14.5.4 Adhesion Properties / 456
    - 14.5.5 Other Properties / 457
  - 14.6 Conclusions / 457
  - References / 458
- 15 RUBBER-CLAY NANOCOMPOSITES BASED ON OLEFINIC RUBBERS (EPM, EPDM) 465**
- 15.1 Introduction / 465
  - 15.2 Types of Clay Minerals Useful in EPM-, EPDM-Clay Nanocomposites / 466
  - 15.3 Compatibilizer Systems for Olefinic Rubber-Clay Nanocomposites / 467
  - 15.4 Preparation of EPDM-Clay Nanocomposites by an *In Situ* Intercalation Method / 469

- 15.5 Characteristics of EPDM-Clay Nanocomposites / 473
  - 15.5.1 Gas Barrier Properties of EPDM-Clay Nanocomposites / 473
  - 15.5.2 Rheological Properties of EPDM-Clay Nanocomposites / 474
  - 15.5.3 Stability of EPDM-Clay Nanocomposites / 475
  - 15.5.4 Swelling Properties of EPDM-Clay Nanocomposites / 475
  - 15.5.5 Mechanical Properties of EPDM-Clay Nanocomposites / 476
- 15.6 Preparation and Characteristics of EPM-Clay Nanocomposites / 479
  - 15.6.1 Tensile Properties of EPM-CN<sub>s</sub> / 480
  - 15.6.2 Temperature Dependence of Dynamic Storage Moduli of EPM-CN<sub>s</sub> / 481
  - 15.6.3 Creep Properties of EPM-CN<sub>s</sub> / 482
  - 15.6.4 Swelling Properties of EPM-CN<sub>s</sub> / 483
- 15.7 Conclusions / 486
- References / 486

## 16 RUBBER-CLAY NANOCOMPOSITES BASED ON THERMOPLASTIC ELASTOMERS

- 16.1 Introduction / 489
- 16.2 Selection of Materials / 491
  - 16.2.1 Polymer Resin / 491
  - 16.2.2 Nanoparticles / 493
- 16.3 Experimental / 493
  - 16.3.1 Processing of Thermoplastic Elastomer Nanocomposites / 493
  - 16.3.2 Morphological Characterization / 494
  - 16.3.3 Thermal Properties Characterization / 495
  - 16.3.4 Flammability Properties Characterization / 495
  - 16.3.5 Thermophysical Properties Characterization / 496
- 16.4 Numerical / 497
  - 16.4.1 Modeling of Decomposition Kinetics / 497
- 16.5 Discussion of Results / 501
  - 16.5.1 Nanoparticle Dispersion / 501
  - 16.5.2 Thermal Properties / 503
  - 16.5.3 Flammability Properties / 507
  - 16.5.4 Microstructures of Posttest Specimens / 511
  - 16.5.5 Thermophysical Properties / 512
  - 16.5.6 Kinetic Parameters / 513

16.6 Summary and Conclusions / 516

16.7 Nomenclature / 517

Acknowledgments / 518

References / 518

## SECTION IV APPLICATIONS OF RUBBER-CLAY NANOCOMPOSITES

### 17 AUTOMOTIVE APPLICATIONS OF RUBBER-CLAY NANOCOMPOSITES

525

17.1 Introduction / 525

17.2 Automotive Application of Rubber / 526

17.2.1 Automotive Hose / 527

17.2.2 Automotive Seals / 528

17.2.3 Automotive Belts / 529

17.2.4 Automotive Tubing / 529

17.2.5 Door Seal and Window Channels / 529

17.2.6 Diaphragms and Rubber Boots / 529

17.2.7 Tire, Tube and Flap / 529

17.2.8 Other Miscellaneous Rubber Parts / 531

17.3 Prime Requirement of Different Elastomeric Auto Components from Application Point of View / 531

17.4 Elastomeric Nanocomposites and Rubber Industry / 531

17.5 Superiority of Clay/Clay Mineral in Comparison to Other Nanofillers / 534

17.6 Organo-Modified Clay/Clay Minerals / 534

17.7 Scope of Application of Elastomeric Nanocomposites in Automotive Industry / 534

17.7.1 Lighter Weight and Balanced Mechanical Property / 535

17.7.2 Barrier Property or Air Retention Property / 538

17.7.3 Aging and Ozone Resistance / 539

17.7.4 Solvent Resistance / 541

17.7.5 Better Processability / 542

17.7.6 Elastomeric Polyurethane-Organoclay Nanocomposites / 544

17.7.7 Use of Organoclay Nanocomposites in Tire / 545

17.8 Disadvantages of Use of Organoclay Elastomeric Nanocomposites in Automotive Industry / 548

17.9 Conclusion / 549

Acknowledgment / 550

References / 550

## 18 NONAUTOMOTIVE APPLICATIONS OF RUBBER-CLAY NANOCOMPOSITES

- 18.1 Water-Based Nanocomposites / 557
  - 18.1.1 Barrier Properties / 557
  - 18.1.2 Comparison with Thermally Processed Elastomers / 566
- 18.2 Applications / 566
  - 18.2.1 Sports Balls and Other Pneumatic Applications / 566
  - 18.2.2 Breakthrough Time Applications / 571
- References / 573

557

## INDEX

575