


Edited by Vikas Mittal

WILEY-VCH

Characterization Techniques for Polymer Nanocomposites



Contents

Preface XIII

List of Contributors XV

1	Characterization of Nanocomposite Materials: An Overview	1
	<i>Vikas Mittal</i>	
1.1	Introduction	1
1.2	Characterization of Morphology and Properties	2
1.3	Examples of Characterization Techniques	5
	References	12
2	Thermal Characterization of Fillers and Polymer Nanocomposites	13
	<i>Vikas Mittal</i>	
2.1	Introduction	13
2.2	TGA of Fillers	13
2.2.1	Quantification of the Extent of Surface Modification	14
2.2.2	Cleanliness of the Filler Surface	14
2.2.3	Comparing the Stability of Different Fillers	15
2.2.4	Dynamic TGA Analysis of the Fillers	18
2.2.5	Characterization of the Surface Reactions	19
2.2.6	Different Measurement Environments	19
2.2.7	Correlation of Organic Matter with Basal Spacing	22
2.3	TGA of Polymer Nanocomposites	23
2.3.1	Effect of Filler Concentration	23
2.3.2	Effect of Compatibilizer	25
2.4	DSC of Fillers	25
2.4.1	Thermal Transitions in the Modified Fillers	26
2.5	DSC of Composites	26
2.5.1	Transitions in Composites	26
2.5.2	Optimization of Curing Conditions	29
	References	32

3	Flame-Retardancy Characterization of Polymer Nanocomposites	33
	<i>Joseph H. Koo, Si Chon Lao, and Jason C. Lee</i>	
3.1	Introduction	33
3.2	Types of Flame-Retardant Nanoadditives	33
3.2.1	One-Dimensional Nanomaterials	34
3.2.1.1	Montmorillonite Clay	34
3.2.1.2	Nanographene Platelets	35
3.2.2	Two-Dimensional Nanomaterials	36
3.2.2.1	Carbon Nanofibers	36
3.2.2.2	Carbon Nanotubes	36
3.2.2.3	Halloysite Nanotubes	39
3.2.3	Three-Dimensional Nanomaterials	40
3.2.3.1	Nanosilica	40
3.2.3.2	Nanoalumina	40
3.2.3.3	Nanomagnesium Hydroxide	40
3.2.3.4	Polyhedral Oligomeric Silsesquioxanes	41
3.3	Thermal, Flammability, and Smoke Characterization Techniques	42
3.3.1	Introduction to Test Methods	42
3.3.2	Thermogravimetric Analysis (TGA)	43
3.3.3	The UL 94 Vertical Flame Test	43
3.3.4	Oxygen Index (Limiting Oxygen Index) (ASTM D2863-97)	44
3.3.5	Cone Calorimeter (ASTM E 1354)	44
3.3.6	Microscale Combustion Calorimeter (ASTM D 7309)	45
3.3.7	Steiner Tunnel Test (ASTM E 84)	45
3.4	Thermal and Flame Retardancy of Polymer Nanocomposites	46
3.4.1	One-Dimensional Nanomaterial-Based Nanocomposites	46
3.4.1.1	Polymer-Clay Nanocomposites	46
3.4.1.2	Polymer-Graphene Nanocomposites	52
3.4.2	Two-Dimensional Nanomaterial-Based Nanocomposites	54
3.4.2.1	Polymer Carbon Nanofiber Nanocomposites	54
3.4.2.2	Polymer Carbon Nanotube Nanocomposites	54
3.4.2.3	Polymer Halloysite Nanotube Nanocomposites	55
3.4.3	Three-Dimensional Nanomaterial-Based Nanocomposites	57
3.4.3.1	Polymer Nanosilica Nanocomposites	57
3.4.3.2	Polymer Nanoalumina Nanocomposites	57
3.4.3.3	Polymer Nanomagnesium Hydroxide Nanocomposites	58
3.4.3.4	Polymer POSS Nanocomposites	60
3.4.4	Multicomponent FR Systems: Polymer Nanocomposites Combined with Additional Materials	62
3.4.4.1	Polymer-Clay with Conventional FR Additive Nanocomposites	62
3.4.4.2	Polymer-Carbon Nanotubes with Conventional FR Additive Nanocomposites	63
3.4.4.3	Polymer-Clay and -Carbon Nanotubes with Conventional FR Additive Nanocomposites	64
3.5	Flame Retardant Mechanisms of Polymer Nanocomposites	66

3.6	Concluding Remarks and Trends of Polymer Nanocomposites	68
	Acknowledgments	69
	References	69
4	PVT Characterization of Polymeric Nanocomposites	75
	<i>Leszek A. Utracki</i>	
4.1	Introduction	75
4.2	Components of Polymeric Nanocomposites	76
4.2.1	Size, Size Distribution, and Shape of the Clay Platelets	77
4.2.2	Chemical Composition of Clays	78
4.2.3	Impurities	79
4.3	Pressure-Volume-Temperature (PVT) Measurements	79
4.3.1	Transitions	79
4.3.2	Determination of PVT	80
4.3.3	Effects of Clay, Intercalant, and Compatibilizer	82
4.4	Derivatives, Compressibility, and Thermal Expansion Coefficient	83
4.4.1	Interpolating the Data	83
4.4.2	Computation of the Thermal Expansion and Compressibility Coefficients, α and κ	84
4.4.3	Polymer α and κ from PVT	84
4.4.4	Effect of Clay on α and κ in PS-Based PNC	86
4.4.5	Effect of Clay on α and κ in PA-6 Based PNC	87
4.5	Thermodynamic Theories	89
4.5.1	Simha-Somcynsky Cell-Hole Theory	90
4.5.2	Simha-Somcynsky eos for Multicomponent Systems	93
4.5.3	The Vitreous Region	97
4.5.4	Equation of State for Semicrystalline PNC	98
4.6	Thermodynamic Interaction Coefficients	100
4.7	Theoretical Predictions	105
4.8	Summary and Conclusions	106
4.8.1	Characterization of Clays	107
4.8.2	PVT Measurements	108
4.8.3	Derivative Properties	108
4.8.4	Thermodynamic Theories	108
4.8.5	Interaction Parameters	109
4.8.6	Theoretical Predictions	109
	References	109
5	Following the Nanocomposites Synthesis by Raman Spectroscopy and X-Ray Photoelectron Spectroscopy (XPS)	115
	<i>Sorina Alexandra Garea and Horia Iovu</i>	
5.1	Nanocomposites Based on POSS and Polymer Matrix	115
5.1.1	Introduction	115
5.1.2	Raman Spectroscopy Applied for Following the Synthesis of Nanocomposites Based on Polymer Matrix and POSS	116

5.1.3	XPS Applied for Characterization of Polymer-POSS Nanocomposites	126
5.1.3.1	Analysis of Functionalized POSS Molecules	126
5.1.3.2	Characterization of Nanocomposite Materials	128
5.1.4	Conclusions	128
5.2	Raman and XPS Applied in Synthesis of Nanocomposites Based on Carbon Nanotubes and Polymers	129
5.2.1	Introduction	129
5.2.2	X-Ray Photoelectron Spectroscopy (XPS) Used to Monitorize the Synthesis of Polymer-CNT-Based Nanocomposites	130
5.2.2.1	CNT Functionalization with Carboxylic Groups	131
5.2.2.2	CNT Functionalization with Amines	131
5.2.2.3	CNT Functionalization with Bioconjugated Systems Based on Dendritic Polymers and Antitumoral Drug	133
5.2.3	Polymer-CNT-Based Nanocomposites Synthesis Followed by Raman Spectroscopy	135
5.2.4	Conclusions	137
	Acknowledgments	138
	References	138
6	Tribological Characterization of Polymer Nanocomposites	143
	<i>Markus Englert and Alois K. Schlarb</i>	
6.1	Introduction	143
6.2	Tribological Fundamentals	144
6.2.1	Tribological System	145
6.2.2	Wear Mechanisms	146
6.2.3	Transfer Film Formation	148
6.2.4	Temperature Increase	148
6.3	Wear Experiments	149
6.3.1	Selected Wear Models	150
6.3.2	Characteristic Values of Tribological Systems	150
6.3.2.1	Wear Rate	152
6.4	Selection Criteria	152
6.5	Design of Polymer Nanocomposites and Multiscale Composites	153
6.6	Selected Experimental Results	153
6.6.1	Particulate Fillers	153
6.6.2	Short Fibers	155
6.6.3	Combination of Fillers	156
6.6.3.1	Internal Lubricants and Short Carbon Fibers	156
6.6.3.2	Short Carbon Fibers and Nanoparticles	157
6.6.4	Wear Mechanisms	161
6.6.4.1	Ball Bearing ("Rolling") Effect on a Submicro Scale	161
6.6.5	Summary	163
	References	165

7	Dielectric Relaxation Spectroscopy for Polymer Nanocomposites	167
	<i>Chetan Channal and Jyoti Jog</i>	
7.1	Introduction	167
7.2	Theory of Dielectric Relaxation Spectroscopy	168
7.2.1	Dielectric Relaxations in Polymer Nanocomposites	168
7.2.2	Fitting to Experimental Data	169
7.2.3	Activation Energy of the Relaxation Process	169
7.2.4	Modulus Formalism	170
7.3	PVDF/Clay Nanocomposites	171
7.3.1	Frequency Dependence of Dielectric Permittivity	171
7.3.2	Vo-Shi Model Fitting to Dielectric Permittivity	172
7.3.3	Role of Interface	173
7.3.4	Frequency Dependence of Dielectric Relaxation Spectra	173
7.4	PVDF/BaTiO ₃ Nanocomposites	175
7.4.1	Frequency Dependence of Dielectric Relaxation Spectra	175
7.4.2	Electric Modulus Presentation of Dielectric Relaxation Spectra	176
7.4.3	Activation Energy of Crystalline and MWS Relaxation Processes	177
7.5	PVDF/Fe ₃ O ₄ Nanocomposites	177
7.5.1	Low-Temperature Dielectric Relaxation Spectra	178
7.5.2	Activation Energy of Glass Transition Relaxation	180
7.5.3	Normalized Spectra of Dielectric Relaxation	180
7.6	Comparative Analysis of PVDF Nanocomposites	181
7.7	Conclusions	182
	Acknowledgment	182
	Nomenclature	182
	References	183
8	AFM Characterization of Polymer Nanocomposites	185
	<i>Ken Nakajima, Dong Wang, and Toshio Nishi</i>	
8.1	Atomic Force Microscope (AFM)	185
8.1.1	Principle of AFM	185
8.1.2	Principle of Tapping Mode AFM	188
8.1.3	Phase and Energy Dissipation	191
8.2	Elasticity Measured by AFM	193
8.2.1	Sample Deformation	193
8.2.2	Contact Mechanics	194
8.2.3	Sneddon's Elastic Contact	194
8.2.4	Nanopalpation Realized by AFM	197
8.2.5	Adhesive Contact	198
8.2.6	Nanomechanical Mapping	200
8.3	Example Studies	201
8.3.1	Carbon Nanotubes-Reinforced Elastomer Nanocomposites	201
8.3.2	Investigation of the Reactive Polymer-Polymer Interface	207
8.3.3	Nanomechanical Properties of Block Copolymers	213

8.4	Conclusion	225
	References	225
9	Electron Paramagnetic Resonance and Solid-State NMR Studies of the Surfactant Interphase in Polymer-Clay Nanocomposites	229
	<i>Gunnar Jeschke</i>	
9.1	Introduction	229
9.2	NMR, EPR, and Spin Labeling Techniques	230
9.2.1	Solid-State NMR Spectroscopy	230
9.2.2	EPR Spectroscopy	231
9.2.3	Spin Label EPR	232
9.2.4	Spin Labeling of the Surfactant Interphase	236
9.3	Characterization of Organically Modified Layered Silicates	237
9.3.1	Heterogeneity of Organoclays	237
9.3.2	Heterogeneity and Position Dependence of Surfactant Dynamics	238
9.3.3	Further Features of Surfactant Dynamics	239
9.3.4	Structural Aspects of the Surfactant Layer	240
9.4	Characterization of Nanocomposites	242
9.4.1	Intercalated Nanocomposites and Nonintercalated Composites	242
9.4.2	Influence of the Polymer on Surfactant Dynamics	243
9.4.3	Influence of the Polymer on Surfactant Layer Structure	244
9.5	Conclusion	247
	Acknowledgments	248
	References	248
10	Characterization of Rheological Properties of Polymer Nanocomposites	251
	<i>Mo Song and Jie Jin</i>	
10.1	Introduction	251
10.2	Fundamental Rheological Theory for Studying Polymer Nanocomposites	252
10.3	Characterization of Rheological Properties of Polymer Nanocomposites	257
10.4	Conclusions	279
	References	280
11	Segmental Dynamics of Polymers in Polymer/Clay Nanocomposites Studied by Spin-Labeling ESR	283
	<i>Yohei Miwa, Shulamith Schlick, and Andrew R. Drews</i>	
11.1	Introduction	283
11.2	Spin Labeling: Basic Principles	284
11.2.1	ESR Spectra of Nitroxide Radicals	284
11.2.2	Line Shape Analysis of Nitroxide Radicals	285
11.3	Exfoliated Poly(methyl acrylate) (PMA)/Clay Nanocomposites	286

11.3.1	Preparation of Exfoliated Nanocomposites in the Absence of Surfactants	286
11.3.2	Structure of Exfoliated Nanocomposites	287
11.3.3	Segmental Dynamics of PMA in Nanocomposites	288
11.3.3.1	The Glass Transition Temperature	288
11.3.3.2	Restricted Molecular Motion at the PMA/Clay Interface	289
11.3.3.3	Thickness of the Interfacial Region	291
11.4	Intercalated Poly(ethylene oxide) (PEO)/Clay Nanocomposites	293
11.4.1	Preparation of Intercalated PEO/Clay Nanocomposites	293
11.4.2	Structure of Intercalated Nanocomposites	294
11.4.2.1	Intercalation of PEO in Clay Galleries of Thickness <1 nm	294
11.4.2.2	Inhibited Crystallization	295
11.4.2.3	Disappearance of the Glass Transition	295
11.4.2.4	Hindered Hydrogen Bonding	296
11.4.3	Segmental Dynamics of PEO in Clay Galleries	298
11.4.3.1	Simulation of ESR Spectra and Determination of Dynamic Parameters	298
11.4.3.2	Effect of Gallery Thickness on the Segmental Mobility of Intercalated PEO	300
11.4.3.3	Effect of Molecular Weight on the Segmental Mobility of Intercalated PEO	300
11.5	Conclusions	300
	Acknowledgments	301
	References	301
12	Characterization of Polymer Nanocomposite Colloids by Sedimentation Analysis	303
	<i>Vikas Mittal</i>	
12.1	Introduction	303
12.2	Materials and Experimental Methods	305
12.2.1	Hybrid Colloid Dispersions	305
12.2.2	Turbidity and Interference AUC	305
12.2.3	Static Density Gradients	306
12.2.4	Preparative Ultracentrifugation	306
12.3	Results and Discussion	307
12.4	Conclusions	319
	Acknowledgments	320
	References	320
13	Biodegradability Characterization of Polymer Nanocomposites	323
	<i>Katherine M. Dean, Parveen Sangwan, Cameron Way, and Melissa A.L. Nikolic</i>	
13.1	Introduction	323
13.2	Methods of Measuring Biodegradation	323
13.2.1	Analytical Techniques	324

13.2.1.1	Morphological	324
13.2.1.2	Microscopic	324
13.2.1.3	Gravimetric	324
13.2.1.4	Physical and Thermal	324
13.2.1.5	Spectroscopic	324
13.2.1.6	Chromatographic	325
13.2.1.7	Respirometry	325
13.2.2	Oxygen Demand	327
13.2.3	Microbiological Techniques	328
13.2.3.1	Direct Cell Count	328
13.2.3.2	Clear-Zone	328
13.2.3.3	Pour Plate/Streak Plate	329
13.2.3.4	Turbidity	329
13.2.4	Enzymatic Techniques	329
13.2.5	Molecular Techniques	329
13.3	Standards for Biodegradation	331
13.4	Biodegradable Nanocomposites	331
13.4.1	PLA Nanocomposites	333
13.5	Starch Nanocomposites	336
13.6	PCL Nanocomposites	337
13.7	PHA/PHB Nanocomposites	339
13.8	Nanocomposites of Petrochemical-Based Polymer	342
13.9	Conclusions	343
	References	343

Index	347
-------	-----