

Constitutive Models for Rubber VI

Editors:
G. Heinrich, M. Kaliske, A. Lion & S. Reese




Table of contents

Foreword	XI
Foreword (Volume I)	XIII
Sponsors	XV
<i>Ageing</i>	
Accelerated ageing of polychloroprene for marine applications <i>V. Le Saux, Y. Marco, S. Calloch, P.Y. Le Gac & N. Ait Hocine</i>	3
Consideration of environmental influences on fatigue tests of elastomer components <i>J. Spreckels, U. Weltin, M. Flamm & T. Steinweger</i>	9
Fatigue life prediction of aged natural rubber material <i>C.S. Woo, W.D. Kim, B.I. Choi, H.S. Park, S.H. Lee & H.C. Cho</i>	15
<i>Computational methods FEM implementation</i>	
FE-Implementation of the concept of representative directions <i>M. Freund & J. Ihlemann</i>	21
Numerical prediction of mechanical behavior of single walled carbon nanotube/rubber composites <i>S.K. Georgantzinos, G.I. Giannopoulos, N.K. Anifantis & P.A. Kakavas</i>	27
Ansys user defined material implementation of van der Waals model <i>H.S. Pathak</i>	33
Filler-reinforced rubber under transient and cyclic loadings: Constitutive modeling and FEM-implementation for time domain simulations <i>M. Rendeck & A. Lion</i>	39
A computational contact model for nanoscale rubber adhesion <i>R.A. Sauer</i>	47
<i>Continuum mechanical models</i>	
Permanent and voluminal strain induced by isotropic ductile damage formulation in forming processes of filled-elastomer materials <i>R. Figueredo & A. Cherouat</i>	55
An approach to the continuum description of the behavior of particulate elastomeric composites <i>L.A. Golovina & L.L. Kozhevnikova</i>	61
A phenomenological finite strain framework for the simulation of elastic polymer curing <i>M. Hossain, G. Possart & P. Steinmann</i>	65
Experimental and theoretical investigations of the viscoelastic behaviour of cellular rubber <i>N. Koprowski, M. Jöhrlitz & S. Diebels</i>	71

A micro-sphere model for rubbery polymers with continuously evolving chain—ODF <i>C. Miehe</i>	77
Algorithm of constant definition for a visco-elastic rubber model based on cyclic experiments, stress relaxation and creep data <i>A.G. Pelevin, B. Lauke, G. Heinrich, A.L. Svistkov & A.A. Adamov</i>	79
Structural-phenomenological modelling of softening and recovery of mechanical properties of elastomer nanocomposite <i>A.L. Svistkov, A.G. Pelevin, A.A. Adamov, B. Lauke & G. Heinrich</i>	85
A phenomenological model for the material behaviour of elastomers due to multi network chains <i>C. Ziegler</i>	91
<i>Dynamic properties and vibration</i>	
An experimental study of magneto-sensitive natural rubber components applied in a vibration isolation system <i>A. Alberdi, N. Gil-Negrete, F.J. Nieto & L. Kari</i>	99
Representation of dynamic elastomer behavior with focus on amplitude dependency <i>H. Baaser & G. Hohmann</i>	105
Viscoelastic properties of filler reinforced elastomers <i>M. Klüppel & J. Fritzsche</i>	111
Simulation of self-heating of dynamically loaded elastomer components <i>V. Mehling & H. Baaser</i>	119
Efficient dynamic modeling of rolling tyre tread blocks <i>P. Moldenhauer & M. Kröger</i>	125
Fitting a viscoplastic time-domain model to equivalent viscoelastic materials data <i>A.H. Muhr</i>	131
On the modelling of the frequency dependence of the material behaviour of elastomers with emphasis on the coefficient of thermal expansion <i>J. Peters, O. von Estorff & M. Achenbach</i>	137
Experimental determination of the mechanical properties of naturally aged rubber <i>I. Petrikova & B. Marvalová</i>	143
Modelling and simulation of dynamically loaded elastomer-mounts under predeformation <i>J. Retka & A. Lion</i>	149
The visco-elastic behaviour of elastomers at large pre-strains <i>N. Suphadon, A.G. Thomas & J.J.C. Busfield</i>	153
<i>Experiments and characterisation</i>	
Dynamic characterization of elastomers using impact testing <i>P.-E. Austrell & A.K. Olsson</i>	161
Dynamic mechanical analysis of prestrained highly-filled elastomers <i>A. Azoug, R.M. Pradeilles-Duval, A. Constantinescu & R. Nevière</i>	167
Volume change in stretched crystallisable rubbers <i>J.-B. Le Cam & E. Toussaint</i>	173
Influence of temperature on durability behavior of carbon black filled natural rubber <i>P. Charrier, T. Ramade, D. Taveau, Y. Marco & S. Calloch</i>	179

Multi-axial viscoelastic deformation of carbon-black filled EPDM rubber <i>D.S.A. De Focatiis, F. Abraham & C.P. Buckley</i>	187
Mechanical characterization of rubber from one heterogeneous test <i>T. Guélon, E. Toussaint & J.-B. Le Cam</i>	193
Experimental characterization and parameter identification of inelastic effects in filled rubber materials <i>S. Hoffmann, M. André, T. Schmidt & E. Haberstroh</i>	199
Flocculation kinetics in the light of jamming physics: New insights into the Payne-effect in filled rubbers <i>S. Richter, M. Saphiannikova & G. Heinrich</i>	205
Mechanical and structural characterization of rubber under one-, two-and three-dimensional load <i>K. Schneider & A. Schöne</i>	211
Stress relaxation behaviors of filled rubbers under various deformations <i>T. Tada, T. Mabuchi, K. Muraoka, K. Urayama & T. Takigawa</i>	215
<i>Fatigue and lifetime</i>	
Beyond Miner's rule for the fatigue of elastomers: Experiments and modelling <i>A. Jardin, J.-B. Leblond & D. Berghézan</i>	223
Constitutive and numerical modeling of the fatigue behavior of a filled rubber <i>J. Grandcoin, A. Boukamel & S. Lejeunes</i>	229
Lifetime prediction of rubber products under simple-shear loads with rotary axes <i>R. Klauke, T. Alshuth & J. Ihlemann</i>	235
Rubber component fatigue life evaluation based on FE-modelling and material testing <i>R. Lillbacka, E. Johnson & M. Bellander</i>	241
Fatigue design and test on Chevron rubber springs used in rail vehicles <i>R.K. Luo, W.J. Mortel, A.D. Spinks & X.P. Wu</i>	249
Towards a new fatigue life characterization based on heat build-up measurements? <i>Y. Marco, V. Le Saux, S. Calloch, C. Doudard, P. Charrier & N. Ait Hocine</i>	255
Identifying the damaging events in a multiaxial duty cycle <i>W.V. Mars</i>	261
The effect of pre-stressing on the equi-biaxial fatigue life of EPDM <i>N. Murphy, J. Hanley & S. Jerrams</i>	269
Extended Wöhler curve to predict fatigue life of elastomeric components <i>M. Rabkin & Th. Brüger</i>	275
Hyperelasticity with volumetric damage <i>E. Verron, G. Chagnon & J.-B. Le Cam</i>	279
<i>Friction</i>	
Modelling friction and abrasion in rubber <i>J.J.C. Busfield</i>	287
Wet and dry friction of elastomers in advanced simulation compared to experiment <i>L. Busse & M. Klüppel</i>	295
Compression of rubber disks between frictional surfaces <i>A.N. Gent, F.M. Disencko & J.B. Suh</i>	301

The mechanics of sliding friction between a rigid indenter and a rubber surface <i>P. Gabriel, Y. Fukahori, A. G. Thomas & J.J.C. Busfield</i>	305
<i>Fracture and crack propagation</i>	
Energy release rate of small cracks under finite multiaxial straining <i>M. Ait-Bachir, E. Verron & W.V. Mars</i>	313
In-situ SEM study of fatigue crack growth mechanism in carbon black-filled natural rubber <i>S. Beurrot, B. Huneau & E. Verron</i>	319
Applying infrared thermography to determine heat sources at the crack tip of rubber specimens <i>J.B. Le Cam, X. Balandraud, M. Grédiac, M.P. Moutrille & T. Pottier</i>	325
Structural influence on crack propagation behaviour in elastomeric materials <i>T. Horst & G. Heinrich</i>	331
Discrete modelling of fracture processes in rubber material <i>C. Morgner, M. Kaliske & G. Geißler</i>	337
The influence of the test properties on dynamic crack propagation in filled rubbers by simultaneous tensile- and pure-shear-mode testing <i>R. Stöck, G. Heinrich & M. Gehde</i>	345
<i>Industrial applications</i>	
Appraisal of nonlinear plasticity models for filled rubber using benchmark tests <i>H.R. Ahmadi, A.H. Muhr, T. Dalrymple & S. Govindarajan</i>	353
Temperature dependence of midsole materials <i>K. Brückner, S. Odenwald & J. Heidenfelder</i>	361
Anisotropic hyperelastic models in Abaqus <i>S.M. Govindarajan & J.A. Hurtado</i>	365
Investigation on the optimal specimen design for planar-biaxial materials testing of soft materials <i>J. Helfenstein, M. Hollenstein & E. Mazza</i>	371
Layout process of pre-stressed rubber suspension bushings <i>J. Jagusch & A. Firla</i>	377
Effect of plate technology and orientation on flexographic line deformation <i>T.V. Korochkina, J.A. Cherry, T.C. Claypole & D.T. Gethin</i>	383
Thermo-mechanical finite element analysis of a viscoelastic model <i>A. Matsuda, Y. Mizutani & H. Shinkai</i>	389
<i>Micro- and macromechanical approaches</i>	
Simulation of phantom elastomeric polymer networks <i>V. Galiatsatos</i>	397
A micro-continuum-mechanical material model for failure of rubber-like materials <i>H. Dal, M. Kaliske & L. Nasdala</i>	401
Meso-scopic 3D-finite element analysis of filled elastomer <i>K. Akutagawa, S. Hamatani & H. Heguri</i>	409
Changes in the orientation state of polymer molecules in the space between filler particles <i>L.A. Komar, A.L. Svistkov, G. Heinrich & B. Lauke</i>	413

Modelling the effects of various contents of fillers on the relaxation rate of filled rubbers <i>L. Laiarinandrasana, A. Jean, D. Jeulin & S. Forest</i>	417
A microstructure-based model of the stress-strain behaviour of filled elastomers <i>H. Lorenz & M. Klippel</i>	423
A multiscale approach to model the mechanical behaviour of heterogeneous hyperelastic membranes <i>L. Meunier, L. Orgéas, G. Chagnon & D. Favier</i>	429
Dynamic mechanical properties of strongly stretched polymer chains and networks: Different molecular models <i>V. Toshchevikov, G. Heinrich & Yu. Gottlieb</i>	435
<i>Multiphysics and biomechanics</i>	
A direction dependent approach to the modeling of shape memory polymers <i>M. Böl & S. Reese</i>	443
Modeling of myocardial splitting due to deep penetration <i>C. Forsell & T.C. Gasser</i>	449
Magnetoelastic anisotropic elastomers in a static magnetic field: Constitutive equations and FEM solutions <i>H.S. Tuan & B. Marvalová</i>	453
Identification of strain energy function for magneto elastomer from pseudo pure shear test under the variance of magnetic field <i>S. Ishikawa, F. Tsumori & H. Kotera</i>	459
Experiment and material model for soft tissue materials <i>M. Staat, S. Sponagel & N.H. Nguyễn</i>	465
<i>Reinforcement</i>	
Quantitative structural analysis of filled rubber by AFM <i>I. Morozov, B. Lauke & G. Heinrich</i>	473
Role of the interphase on reinforcement of filled rubbers: Influence of temperature, carbon black content and strain <i>A. Robisson & B. Chartier</i>	477
Non-linear elastic behavior of carbon black filler aggregates in rubber-like elastomers <i>R. Dargazany & M. Itskov</i>	489
<i>Stress softening</i>	
Temperature dependence of Mullins softening-healing phenomena: An outline for theoretical description based on experiments <i>A.F.M.S. Amin & A. Lion</i>	497
A micro-mechanical model for the anisotropic Mullins effect in filled rubber-like elastomers <i>R. Dargazany, M. Itskov & G. Weinhold</i>	505
Experimental observation of induced anisotropy of the Mullins effect in particle-reinforced silicone rubber <i>G. Machado, G. Chagnon & D. Favier</i>	511
Author index	517